155 NOTICE.

PRAGATI PICTURES, LTD., BANGALORE.

Notice is hereby given that the above Company has in a General Meeting held on 16th May 1940, passed a special resolution that the Company may be voluntarily wound up, appointing Messrs. A. V. Meiyappan and A. Subramanyam as liquidators for the said winding up.

---

156 SUBHODA & CO., LTD., BANGALORE.

Notice is hereby given that the above Company has in a General Meeting held on 16th May 1940, passed a special resolution that the Company may be voluntarily wound up, appointing Messrs. A. V. Meiyappan and A. Subramanyam as liquidators for the said winding up.

A. V. MEIYAPPAN,
A. SUBRAMANYAM,
Liquidators.

GOVERNMENT OF MYSORE, STORES PURCHASE COMMITTEE, BANGALORE.

No. S. P. C. 36366-81, *dated 25th May* 1940.

To

The Firms dealing in Electrical Materials.

Enquiry No. 4065.

EXPULSION TYPE FUSIBLE PRIMARY CUT-OUTS.

GENTLEMEN,

I write to request you to quote your best price and earliest time of delivery for the following materials :—

Three-hundred Expuslion type Fusible Primary Cut-outs, 50 amperes, suitable for use on circuits upto 4,600 volts, ungrounded neutral, conforming to the following dimensions :—

Diameter or side of contact blocks on fuse holders	$\frac{7}{8}''$
Distance between the contact blocks on the fuse holders as also that between the contact clips in the housing—centre to centre ..	$3\frac{3}{8}''$
The length of the housing internally shall be such as to take a fuse holder $7\frac{3}{8}''$ long.	

The expuslion type fusible primary cut-outs on this enquiry shall conform to the following general specifications :—

They shall be of a completely enclosed type with a wet process porcelain housing with ample creepage distance for the voltage specified, all the exposed surfaces being heavily glazed.

The cover or door shall be of a compounded material of high dielectric strength with non-moisture absorbing characteristics and it shall be provided with a handle of the same material, as an integral part, to facilitate its operation by means of a switch hook. It shall be mechanically strong to withstand rough usage as well as the severe strain on heavy short circuits. It shall be hinged on to the housing by means of pins of insulating material, securely fastened and shall open downwards.

The door shall be held while closed, by an internal spring latch and it shall be provided with suitable spring clips on the inside to hold the fuse holder, firmly in position.

The fuse holder shall come into the circuit only when the door is in the closed position and shall get completely disconnected as soon as the door is opened. It shall be easily removable and the construction of the holder shall be such as to facilitate quick re-fusing. It shall be made of fibre or any other kind of compounded material tubing with sturdy metal parts, securely attached and shall be of the open type. It shall be provided with contact blocks and the end attachments for holding the fuse in position shall be such as to prevent its being twisted or displaced or damaged. The end attachments shall be such as to provide sufficient contact surface to avoid fuse failure by developing hot spot. The fuse holder shall be mechanically strong to withstand frequent normal handling.

The metal parts shall be of spring brass and be securely cemented in the porcelain housing and the door. They shall be of the maximum current carrying capacity without heating and provide for the maximum surface contact. Suitable terminal lugs with large binding screws shall be provided for securing the connecting wires, and the holes provided in the porcelain housing for the purpose shall be sloping downwards to prevent creepage of water inside the housing through the leads. The fixtures shall provide for the requisite flexibility to permit self-alignment of the contacts.

The cut-outs shall be provided with metal clamps suitable for fixing them on angle iron cross arms.

No live parts of the cut-outs shall be exposed so that there will not be any chance for an accidental contacts with them. Further, the construction of the housing and the door shall be such as to make the cut-out dust proof and water-proof especially in stormy weather.

Tenderers shall submit full specifications with illustrations of the cut-outs offered without which the quotations will not be considered. Dry and wet flashover values of the porcelain between the following parts should also be furnished.

(1) Hanger and the terminals,
(2) the contact clips inside the housing, and
(3) the holding clamps in the door.

Tenderers may offer cut-outs with any improvements or special features but the dimensions specified in para one above should be adhered to.

This enquiry will close on the 10th July 1940. As the materials are required urgently, no extension of time can be given in respect of this enquiry.

No. S. P. C. 37088-37113; dated 29th May 1940.

To

The Firms dealing in Pumping Sets.

Enquiry No. 4073.

PUMPING SET FOR WATER SUPPLY TO THE MATERNITY HOSPITAL, MANDYA.

GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the schedule given below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions:—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserves the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Pumping set for water supply to the Maternity Hospital, Mandya", with the above enquiry Number.

This enquiry will be closed on the 29th June 1940.

Schedule.

Description of material offered	Quantity	Price quoted F. O. R.
Direct coupled pumping set for the following specification:— The set should be a direct coupled unit consisting of a pump capable of discharging 1,000 gallons of water lifting the same from a shallow well and discharging it against a head of 75′ from all causes. It should be of a standard design and should be directly coupled to an electric motor running on 220 volts, 25 cycles, 3 phase alternating current. The combination has to be erected on a common cast iron bed plate. The necessary starter of approved quality should be supplied along with the motor and the cost of the foot valve, reflux valve and the sluice valve required with the pump should be noted separately.	One set	Mandya.

No. S. P. C. 37060-82, *dated 29th May* 1940.

To

The Firms dealing in Hardware Materials.

Enquiry No. 4075.

BRASS PIPES FOR CHAMARAJSAGAR AND WATER WORKS, THIPPAGONDANAHALLI.

Please be good enough to intimate your best price for delivery, F.O.R., Bangalore and the earliest time of delivery for the materials described below :—

1. Brass pipes 7/16" oustide diameter and $\frac{3}{8}$" inside diameter .. .. 200 ft.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and pruchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Brass pipes for Chamarajsagar and Water Works, Thippagondanahalli", with the above enquiry Number.

This enquiry will be closed on the 15th June 1940.

No. S. P. C. 37261-5, *dated 29th May* 1940.

To

The Firms dealing in Alum.

Enquiry No. 4078.

COUNTRY ALUM FOR KRISHNARAJSAGAR DIVISION.

DEAR SIR/GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the undermentioned schedule in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Country Alum," with the above enquiry Number.

This enquiry will be closed on the 10th June 1940.

Schedule.

Item No.	Description of material offered	Quantity	Price quoted F. O. R.	Time of delivery
1	Country Alum	5 Cwts.	Belagola Railway Station.	

(1) Samples of the materials offered should be furnished with the quotation.
(2) The names of the manufacturers should be clearly specified.

No. S. P. C. 37245-60, *dated* 30*th May* 1940.

To

The Firms dealing in Machinery.

Enquiry No. 4079.

HAND PRESS FOR THE MYSORE IMPLEMENTS FACTORY.

DEAR SIR/GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the undermentioned schedule, in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Hand Press for the Mysore Implements Factory," with the above enquiry Number.

This enquiry will be closed on the 17th June 1940.

Schedule.

Item No.	Description of material offered	Quantity	Price quoted F. O. R.	Time of delivery
1	Hand Press of the following specification :— Double sided fly press—Hand operated. Size of screw $2\frac{1}{2}$" to 3". Hole in the base 8". Between uprights 14". Base to guide 9".	One	Hassan.	

N.B.—Detailed description and illustrative leaflets of the machines offered should be sent with the quotation.

No. S. P. C. 37233-44, *dated* 29*th May* 1940.

To

The Firms dealing in R. S. Beams.

Enquiry No. 4080.

STEEL GIRDERS FOR HASSAN DIVISION.

DEAR SIR/GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the schedule printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Steel Girders for Hassan Division," with the above enquiry Number.

This enquiry will be closed on the 10th of June 1940.

Schedule.

Item No.	Description of material offered	Quantity	Price quoted F. O. R.	Time of delivery
	R. S. Girders 90 lbs. section 24″×7½″×39 feet in length Tested quality	Eight	*Hassan.*	

N.B.—1. Test Certificates should be furnished with the girders.
2. Quotations for delivery of the girders from stock will be preferred.

No. S. P. C. 37441-60, *dated 1st June* 1940.

To

The Firms dealing in Cables.

Enquiry No. 4086.

VARNISHED CAMBRIC CABLE.

DEAR SIR/GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the undermentioned schedule in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions:—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Varnished Cambric Cable" with the above enquiry Number.

This enquiry will be closed on the 24th June 1940.

Schedule.

Item No.	Description of material offered	Quantity	Price quoted F. O. R.	Time of delivery
	Cable No. 8 B. & S. 7/·044 Varnished Cambric insulated for 8,000 volts, lead covered conductors composed of best annealed copper wires evenly coated with tin, stranded, a separator of specially treated paper applied to prevent the wires from any possible action of varnished cambric film and over-seperator taped with many layers of plastic, non-hardening and non-drying insulating compound and lead sheathed and served with jute for street lighting under ground	3,000 R.ft.	*Belagola Railway Station.*	

N.B.—(1) The name of the manufacturers should be stated.
(2) Quotations for delivery of the materials from stock will be preferred.

Yours faithfully,
MIR SAFDAR HUSSAIN,
Secretary,
Stores Purchase Committee.

STATEMENT OF ORDERS PLACED BY THE STORES PURCHASE COMMITTEE, GOVERNMENT OF MYSORE, BANGALORE, BOTH IN INDIA AND FOREIGN COUNTRIES DURING THE WEEK ENDING SATURDAY THE 4TH MAY 1940.

Indent & Enquiry No.	Description of materials	Quantity	Name of the Firm	Value of the Order
Local.			Messrs :—	Rs. a. p.
5432	Spherical Globes 16″ × 8″	25 Nos.	The International General Electric Co., (India) Ltd., Bangalore City.	625 0 0 the lot f.o.r., Belagola.
3987				
5433	Corrugated galvanized Iron Sheets	92 Nos.	T. J. Shukoor & Co., Bangalore	260 0 0 the lot f.o.r. Mandya.
3979				
5434	Tested (Tata's) M.S. Angles 3″ × 2″ × ¼″.	70 lengths	The Tata Iron & Steel Co., Ltd., Madras.	10 12 0 per cwt. f.o.r., Madras plus ¼ per cent Sales tax.
3973				
	Do do	30 ,,	M.N. Hussen & Co., Bangalore	13 4 0 per cwt. f.o.r., Bangalore.
5436	Everest "Asbestos" Trafford Russet Red adjustable Ridges.	96 Pairs	The States Engineering Co., Bangalore.	438 0 0 the lot f.o.r., Tumkur.
3982				
5437	Crossings and over-riding switches	9 Sets	Guest Keen Williams, Ltd., Madras.	890 0 0 per set f.o.r., any station in the State.
3948				
	Do do	1 Set	Beruck & Comens (Engineers) Ltd., 24, Parganas (Bengal).	1,000 0 0 per set do
	Do do	1 ,,		850 0 0 per set do
5438	Wire Fencing	3 200 Yds.	William Jacks & Co., Ltd., Madras.	0 6 6 per Yd., f.o.r., Mysore.
3959				
5439	Teakwood Boards with frame on stand.	12 Nos.	H. Thimmiah, Bangalore City	13 2 0 each, delivery as the Office of the Secretary Local Examinations Boards.
4014				
5440	Tata's tested steel beams	14 Nos.	Steel Co., Bangalore City	12 8 0 per cwt. Ex. Railway Yard, Bangalore City.
4004				
5441	Steindarff best German make Microscope.	One	Powells, Ltd., Bombay	650 0 0 f.o.r., Hassan.
3967				
5442	Spares for Brown Boveri Electric Tunnel Kiln.	Lot	Volkart Brothers, Madras	68,971 0 0 f.o.r., Bangalore.
5444	Diesel Engine Pumping Set	One	Associated Engineering Services, Bangalore City.	1,834 8 0 f.o.r., Bangalore.
	Oil Engine Pumping Set	One		1,755 0 0
Foreign.				
3009	Spares for Oil Circuit breakers B. 15,000 V., 600 amps.	Lot	International General Electric Co., (India) Ltd., Bangalore City.	$70.14 f.a.s., New York.
Extn.				
3033	Bakelite caps	60 gross	(Through the Trade Commissioner for Mysore in London).	Billing Prices.
3034	"Hot Point" Water heaters with steel tank.	Two	International General Electric Co., (India) Ltd., Bangalore City.	$136.00 each f.a.s. New York.
3901				

STATEMENT OF ORDERS PLACED DURING THE WEEK ENDING SATURDAY THE 11TH MAY 1940.

			Messrs :—	Rs. a p.
5342	Self-propelling chairs, with handles	2 Nos.	Powells, Ltd., Bombay	160 0 0 each f.o.r., Bangalore.
Extn. ,,				
5445	Cable 4 B. & S.	1,100 R.ft.	A.C.E.C. (India) Ltd., Bombay	1,545 0 0 the lot f.o.r., Belagola.
	Cable 6 B. & S.	1,000 ,,		992 0 0 Do do
	Cable 10 B. & S. 3 core	700 ,,		496 0 0 Do do
	Cable 10 B. & S. 2 core	1,460 ,,		907 0 0 Do do
	Cable, 14 B. & S.	8,200 ,,	A. Narasiah & Sons., Bangalore	39 8 0 per 100 Yds. f.o.r., Bangalore City.
	Cable, 12 B. & S.	1,700 ,,	Associated Engineering Services, Bangalore City.	13 8 0 Do do
	Cutouts Porcelain 500 volts	472 Nos.		9 0 0 a dozen do
	Fuse Carriers	472 ,,		6 0 0 a dozen do
	Switches, Trumbull	6 ,,	International General Electric Co., (India) Ltd., Bangalore.	36 3 0 each do
5446	Portable aluminium autoclove to contain drum of size 9½″ × 9″.	1 Set	Bombay Surgical Co., Bombay	250 0 0 Ex. Godowns, Bombay.
3981				
	Transformer for use on 220 volts A.C. 25 cycles.	One	M. Shah & Co., Bombay	185 0 0 Do do
	Electric Instrument Steriliser	One	Annapurna Cooker Co., Bangalore.	120 0 0 f.o.r., Chikmagalur.
	Instrument Almirah, steel, with glass shutters and glass shelves.	One	Bole Brothers, Bombay	285 0 0 Ex. Works, Bombay.
5447	Copper Wire, Hard drawn, bare copper wire size 8 SWG. in coils of 1 cwt.	2,000 lbs.	N. S. Subramania Iyer, Bangalore.	59 4 0 per cwt. f.o.r., Madras.